

# ENGINEERING, ELECTRICAL & ELECTRONIC

Category	Rank	Abbreviated Journal Title	ISSN	JCR Data					Eigenfactor™ Metrics	
				Total Cites	Impact Factor	Immediacy Index	Articles	Cited Half-life	<i>Eigenfactor</i> ™ Score	<i>Article Influence</i> ™ Score
A	1	P IEEE	0018-9219	12770	3.82	0.606	132	>10.0	0.03825	2.624
A	2	IEEE T PATTERN ANAL	0162-8828	16492	3.579	0.571	189	9.7	0.03983	2.107
A	3	PROG ELECTROMAGN RES	1559-8985	1433	3.32	0.739	249	1.9	0.00552	
A	4	IEEE T MED IMAGING	0278-0062	7725	3.275	0.368	144	7	0.02466	1.5
A	5	IEEE SIGNAL PROC MAG	1053-5888	1751	2.907	0.338	68	5.8	0.01259	2.749
A	6	IEEE T AUTOMAT CONTR	0018-9286	17058	2.824	0.19	294	>10.0	0.04881	1.489
A	7	IEEE T NEURAL NETWORK	1045-9227	7019	2.769	0.189	164	8.1	0.01799	1.075
A	8	PROG QUANT ELECTRON	0079-6727	597	2.636	0.2	5	>10.0	0.00204	2.576
A	9	IEEE ELECTR DEVICE L	0741-3106	5770	2.486	0.332	313	5.1	0.03936	1.365
A	10	IEEE T IMAGE PROCESS	1057-7149	8531	2.462	0.282	262	7.1	0.02804	1.333
A	11	IEEE J SEL TOP QUANT	1077-260X	4689	2.384	0.385	200	5.8	0.02591	1.325
A	12	IEEE J QUANTUM ELECT	0018-9197	10178	2.36	0.399	153	>10.0	0.02382	1.073
A	13	IEEE T GEOSCI REMOTE	0196-2892	9167	2.344	0.283	375	6.8	0.03053	0.891
A	14	IEEE T INFORM THEORY	0018-9448	16221	2.315	0.282	397	9.1	0.07934	1.952
A	15	IEEE PERVAS COMPUT	1536-1268	600	2.293	0.171	35	4	0.00475	
A	16	IEEE T SPEECH AUDI P	1063-6676	1893	2.291		0	7.2	0.00705	1.024
A	17	IEEE J SOLID-ST CIRC	0018-9200	7767	2.254	0.22	277	6.7	0.04391	1.368
A	18	IEEE T IND ELECTRON	0278-0046	3967	2.216	0.425	341	5.8	0.01181	0.608
A	19	J LIGHTWAVE TECHNOL	0733-8724	10843	2.196	0.305	436	7.2	0.04923	1.061
A	20	IEEE T ELECTRON DEV	0018-9383	11134	2.165	0.392	434	7.6	0.05137	1.18
A	21	IEEE T FUZZY SYST	1063-6706	3166	2.137	0.147	102	7.4	0.00877	1.063
A	22	IEEE T NANOTECHNOL	1536-125X	1098	2.11	0.32	103	3.3	0.01288	1.469
A	23	IEEE T SOFTWARE ENG	0098-5589	3672	2.105	0.385	52	>10.0	0.00838	1.024
B	24	AUTOMATICA	0005-1098	8864	2.083	0.326	230	7.9	0.03489	1.328
B	25	PATTERN RECOGN	0031-3203	7498	2.019	0.427	314	7.5	0.02133	0.804
B	26	IEEE PHOTONIC TECH L	1041-1135	12542	2.015	0.367	656	4.6	0.06901	0.786
B	27	IEEE WIREL COMMUN	1536-1284	806	2	0.088	68	3.7	0.01331	2.21
B	28	J MICROELECTROMECH S	1057-7157	3663	1.964	0.145	165	5.5	0.01983	1.326
B	29	J MICROMECH MICROENG	0960-1317	4672	1.93	0.263	373	3.9	0.02616	0.864
B	30	IEEE T MICROW THEORY	0018-9480	11305	1.907	0.225	347	8.2	0.05818	1.247
B	31	SEMICONDUCTOR TECH	0268-1242	4569	1.899	0.329	292	5.1	0.02526	0.715
B	32	IEEE T KNOWL DATA EN	1041-4347	2354	1.896	0.292	120	4.8	0.01166	0.847
B	33	J ELECTROMAGNET WAVE	0920-5071	1130	1.844	0.343	198	2.6	0.00436	0.255
B	34	IEEE ACM T NETWORK	1063-6692	3689	1.831	0.202	124	7.5	0.02337	2.274
B	35	J CRYPTOL	0933-2790	848	1.824	0.353	17	9	0.00151	0.868

B	36	IEEE J SEL AREA COMM	0733-8716	7411	1.799	0.171	175	7.4	0.04813	2.337
B	37	IEEE T POWER ELECTR	0885-8993	3879	1.753	0.224	272	6.6	0.01262	0.656
B	38	IEEE MICROW WIREL CO	1531-1309	2030	1.725	0.243	300	3.1	0.02907	1.242
B	39	IEEE COMMUN MAG	0163-6804	3892	1.704	0.121	165	5.6	0.03462	1.781
B	40	IEEE T INTELL TRANSP	1524-9050	438	1.689	0.183	60	3.8	0.00239	0.595
B	41	IEEE T CIRC SYST VID	1051-8215	3786	1.685	0.38	163	5.7	0.01736	1.172
B	42	IEEE T COMPUT	0018-9340	6039	1.68	0.259	143	>10.0	0.01902	1.221
B	43	IEEE T ULTRASON FERR	0885-3010	4608	1.654	0.239	301	7.4	0.0146	0.618
B	44	IEEE T SIGNAL PROCES	1053-587X	10009	1.64	0.208	518	7.1	0.05114	1.319
B	45	INT J ROBUST NONLIN	1049-8923	1055	1.637	0.134	82	6.7	0.00528	0.76
B	46	IEEE T ANTENN PROPAG	0018-926X	10375	1.636	0.276	471	9.7	0.03759	0.774
C	47	IEEE T DEVICE MAT RE	1530-4388	489	1.61	0.113	71	2.9	0.00625	
C	48	IEEE NETWORK	0890-8044	1081	1.609	0	39	6.7	0.00777	1.91
C	49	IEEE T APPL SUPERCON	1051-8223	6083	1.551	0.093	913	4.3	0.01763	0.237
C	50	MICROELECTRON ENG	0167-9317	4432	1.503	0.19	578	4.1	0.02689	0.539
C	51	IEEE INTELL SYST	1541-1672	1247	1.438	0.224	58	6	0.00511	0.836
C	52	J VAC SCI TECHNOL B	1071-1023	10570	1.419	0.167	484	7.1	0.03896	0.578
C	53	COMPUT VIS IMAGE UND	1077-3142	1770	1.417	0.28	75	7.6	0.00645	0.976
C	54	NETWORK-COMP NEURAL	0954-898X	739	1.385	0.062	16	7.8	0.00315	1.13
C	55	SENSOR ACTUAT A-PHYS	0924-4247	7513	1.348	0.24	545	6.2	0.02895	0.602
C	56	IEEE SENS J	1530-437X	1335	1.34	0.21	233	3.3	0.0094	
C	57	J ELECTRON MATER	0361-5235	3604	1.32	0.089	257	6	0.01386	0.478
C	58	IEEE T RELIAB	0018-9529	1636	1.303	0.063	63	>10.0	0.00575	0.793
C	59	IEEE T COMMUN	0090-6778	9721	1.302	0.178	269	9.4	0.05076	1.632
C	60	IEEE T POWER SYST	0885-8950	5261	1.289	0.124	259	7.9	0.01301	0.502
C	61	IEEE T CONTR SYST T	1063-6536	2093	1.278	0.083	108	6.4	0.00919	0.782
C	62	CONTROL ENG PRACT	0967-0661	1696	1.263	0.189	122	5.7	0.00715	0.496
C	63	SOLID STATE ELECTRON	0038-1101	4816	1.259	0.2	230	7.8	0.0205	0.552
C	64	IEEE T WIREL COMMUN	1536-1276	2350	1.234	0.094	524	3.3	0.03889	1.376
C	65	WIREL COMMUN MOB COM	1530-8669	792	1.225	0.044	91	5.4	0.00767	1.015
C	66	IEEE T CIRCUITS-I	1549-8328	4172	1.204	0.053	243	6.4	0.02352	0.848
C	67	IEEE T VEH TECHNOL	0018-9545	3252	1.191	0.101	368	7.9	0.01586	0.841
C	68	IEEE CIRCUITS DEVICE	8755-3996	261	1.184		0	5.9	0.00193	0.643
C	69	IEEE MICROW MAG	1527-3342	283	1.18	0.143	49	4.3	0.00352	
C	70	DISPLAYS	0141-9382	399	1.179	0	27	6.6	0.00146	0.441
C	71	EXPERT SYST APPL	0957-4174	1254	1.177	0.333	222	4	0.00513	0.377
C	72	IEEE T PARALL DISTR	1045-9219	1938	1.146	0.173	133	7	0.0079	0.697
C	73	IEEE GEOSCI REMOTE S	1545-598X	410	1.14	0.246	138	2.4	0.0039	
C	74	IEEE SIGNAL PROC LET	1070-9908	1794	1.115	0.123	252	5.2	0.01262	0.645
C	75	IEEE T NUCL SCI	0018-9499	7116	1.107	0.188	383	6.8	0.02902	0.482

C	76	IEEE T CIRCUITS-II	1549-7747	2224	1.104	0.058	224	7.1	0.01052	0.582
C	77	IEEE T BROADCAST	0018-9316	526	1.102	0.195	87	4.5	0.00301	0.476
C	78	IEEE T INF FOREN SEC	1556-6013	59	1.089	0.118	68		0.00031	0.299
C	79	MATH CONTROL SIGNAL	0932-4194	500	1.071	0.071	14	>10.0	0.00107	0.77
C	80	IEE P-CONTR THEOR AP	1350-2379	1324	1.045		0	6.5	0.00576	0.566
C	81	IMAGE VISION COMPUT	0262-8856	1981	1.027	0.213	164	6.7	0.00816	0.695
C	82	IEEE T ENERGY CONVER	0885-8969	1717	1.018	0.102	108	8	0.00805	0.718
C	83	IEEE T ADV PACKAGING	1521-3323	760	1.011	0.146	96	4.7	0.00536	0.632
C	83	MICROELECTRON RELIAB	0026-2714	2052	1.011	0.151	351	4.8	0.01184	0.383
C	83	OPTO-ELECTRON REV	1230-3402	252	1.011	0.235	34	3.6	0.00148	0.258
C	86	ELECTRON LETT	0013-5194	14105	1.009	0.17	912	8.4	0.05833	0.477
C	87	J MICROLITH MICROFAB	1537-1646	327	0.986		0	3.2	0.00238	
C	88	QUANTUM ELECTRON+	1063-7818	2426	0.985	0.229	166	8.4	0.00405	0.169
C	89	J ELECTROSTAT	0304-3886	1412	0.966	0.158	101	7.1	0.00518	0.499
C	90	IEEE T MAGN	0018-9464	12193	0.959	0.162	905	7.9	0.03488	0.331
C	91	IEEE ANTENN PROPAG M	1045-9243	974	0.95	0.149	87	6.3	0.00611	0.749
C	92	J MATER SCI-MATER EL	0957-4522	1112	0.947	0.194	258	5	0.00518	0.327
C	93	IEEE T AERO ELEC SYS	0018-9251	2805	0.938	0.06	133	>10.0	0.00654	0.529
C	94	ETRI J	1225-6463	373	0.936	0.147	95	2.7	0.00262	0.286
C	95	IEEE SPECTRUM	0018-9235	757	0.933	0.283	53	7.8	0.00416	0.494
C	96	IEEE T IND APPL	0093-9994	4691	0.924	0.073	165	9.9	0.0123	0.571
C	97	MICROSYST TECHNOL	0946-7076	936	0.912	0.185	216	3.9	0.00586	0.388
C	98	IEEE-ASME T MECH	1083-4435	1061	0.908	0.156	77	5.7	0.00575	0.729
C	99	IEEE T COMPON PACK T	1521-3331	1198	0.902	0.073	109	6.4	0.005	0.444
C	100	IEEE ANTENN WIREL PR	1536-1225	689	0.896	0.058	173	3.6	0.01026	
C	101	IEEE T POWER DELIVER	0885-8977	3684	0.857	0.072	318	8.5	0.01036	0.349
C	102	DIGIT SIGNAL PROCESS	1051-2004	805	0.853	0.276	76	8.2	0.00235	0.484
C	103	OPT FIBER TECHNOL	1068-5200	434	0.845	0.167	48	6.6	0.00183	0.609
C	104	INT J CIRC THEOR APP	0098-9886	472	0.836	0.289	38	7.3	0.00146	0.352
C	105	IEEE T ELECTROMAGN C	0018-9375	1242	0.835	0.094	106	9.3	0.00435	0.43
C	106	IEEE T INSTRUM MEAS	0018-9456	3532	0.832	0.131	397	7.4	0.00989	0.303
C	107	COMPUT NETW	1389-1286	1913	0.829	0.128	281	5.8	0.01225	0.702
C	108	IEEE J OCEANIC ENG	0364-9059	1394	0.825	0.962	79	7	0.00667	0.724
C	109	IEEE T EDUC	0018-9359	586	0.815	0.109	46	6.7	0.0018	0.237
C	110	MECHATRONICS	0957-4158	637	0.803	0.036	55	6.3	0.00295	0.369
C	111	IEEE T DIELECT EL IN	1070-9878	1356	0.792	0.099	192	6.3	0.00533	0.366
C	112	IEEE ELECTR INSUL M	0883-7554	278	0.776	0.278	18	6.8	0.00114	0.416
C	112	IEEE T COMPUT AID D	0278-0070	2352	0.776	0.053	169	8.1	0.00978	0.496
C	112	INT J ADAPT CONTROL	0890-6327	436	0.776	0.07	43	7.1	0.00207	0.461
C	115	IEEE T AUDIO SPEECH	1558-7916	206	0.768	0.236	216	1.3	0.00138	0.3

C	116	IEEE T SEMICONDUCT M	0894-6507	883	0.765	0.062	65	7.5	0.00366	0.437
C	117	ENG APPL ARTIF INTEL	0952-1976	716	0.762	0.177	96	5.3	0.00331	0.402
C	118	APPL ARTIF INTELL	0883-9514	405	0.753	0.077	39	7.5	0.00119	0.256
C	119	WIREL NETW	1022-0038	762	0.741	0.078	51	5.9	0.0044	0.695
C	120	SIGNAL PROCESS	0165-1684	2630	0.737	0.169	248	8.6	0.01038	0.445
C	121	IEEE T CONSUM ELECTR	0098-3063	1454	0.734	0.031	258	5.1	0.00622	0.278
C	122	J NANOELECTRON OPTOE	1555-130X	20	0.731	0.037	27		0.00022	0.357
C	123	SOLDER SURF MT TECH	0954-0911	175	0.727	0	16	5.1	0.00103	0.458
C	124	OPT QUANT ELECTRON	0306-8919	1090	0.718	0.229	83	8.1	0.00343	0.29
C	125	IEE P-OPTOELECTRON	1350-2433	563	0.708		0	7.5	0.00231	0.291
C	126	IEEE T VLSI SYST	1063-8210	1156	0.707	0.029	137	5.8	0.00922	0.652
C	127	ELECTROMAGNETICS	0272-6343	276	0.688	0.083	36	7.6	0.00159	0.32
C	128	MACH VISION APPL	0932-8092	388	0.682	0.107	28	8.2	0.0013	0.362
C	129	MAT SCI SEMICON PROC	1369-8001	633	0.655	0	19	4.2	0.00462	0.339
C	130	MICROW OPT TECHN LET	0895-2477	2968	0.631	0.125	931	4.3	0.0173	0.225
C	131	EURASIP J ADV SIG PR	1687-6172	751	0.619	0.142	274	3.1	0.00753	
C	132	MICROELECTRON J	0026-2692	1000	0.609	0.172	192	4.2	0.00548	0.246
C	133	IEEE INSTRU MEAS MAG	1094-6969	177	0.592	0.059	34	5	0.00072	0.199
C	134	J ELECTRON PACKAGING	1043-7398	466	0.583	0	67	5.4	0.00274	0.324
C	135	MICROELECTRON INT	1356-5362	80	0.571	0.034	29		0.0003	0.146
C	136	IEE P-ELECT POW APPL	1350-2352	886	0.554		0	7.4	0.00345	0.28
C	137	MULTIDIM SYST SIGN P	0923-6082	141	0.545	0	18	8.5	0.00063	0.309
C	138	SIGNAL PROCESS-IMAGE	0923-5965	617	0.538	0.164	61	5.4	0.0041	0.595
C	139	MICROPROCESS MICROSY	0141-9331	202	0.524	0.082	49	5.3	0.00139	0.259
C	140	J SOC INF DISPLAY	1071-0922	381	0.498	0.086	140	3.6	0.00218	
C	141	IEE P-SCI MEAS TECH	1350-2344	554	0.493		0	>10.0	0.0018	0.293
C	142	IEE P-MICROW ANTEN P	1350-2417	669	0.489		0	8.4	0.00425	0.443
C	143	INT J IMAG SYST TECH	0899-9457	354	0.482	0.033	30	9	0.00114	0.32
C	144	IEE P-GENER TRANSM D	1350-2360	1014	0.479		0	8.3	0.00605	0.481
C	145	MULTIMED TOOLS APPL	1380-7501	199	0.458	0.06	67	4.9	0.00074	0.14
C	146	CIRC SYST SIGNAL PR	0278-081X	205	0.456	0	51	7.2	0.00128	0.284
C	147	INT J NUMER MODEL EL	0894-3370	187	0.455	0.045	22	7.4	0.00107	0.256
C	147	J ELECTRON IMAGING	1017-9909	708	0.455	0.072	69	5.4	0.00327	0.38
C	149	BELL LABS TECH J	1089-7089	384	0.453	0.131	61	>10.0	0.00103	0.162
C	150	J VLSI SIG PROC SYST	0922-5773	312	0.449	0.012	82	6	0.00183	0.249
C	151	ELECTR POW SYST RES	0378-7796	751	0.446	0.065	186	5.5	0.00462	0.34
C	152	J FRANKLIN I	0016-0032	615	0.441	0.054	74	>10.0	0.00106	0.204
C	153	IEICE ELECTRON EXPR	1349-2543	119	0.436	0.103	126	2.3	0.00102	
C	153	IEICE T ELECTRON	0916-8524	1031	0.436	0.099	334	4.8	0.00639	0.169
C	155	IEEE TECHNOL SOC MAG	0278-0097	79	0.395	0.05	20		0.00059	0.234

C	156	COMPUT COMMUN	0140-3664	930	0.391	0.06	299	5.1	0.00606	0.256
C	157	INT J ELECTRON	0020-7217	675	0.377	0.042	96	>10.0	0.00107	0.141
C	158	BT TECHNOL J	1358-3948	294	0.366	0.463	80	3.9	0.00153	0.196
C	159	IEE P-CIRC DEV SYST	1350-2409	510	0.36		0	7.2	0.00268	0.282
C	159	IEEE IND APPL MAG	1077-2618	258	0.36	0	42	5.6	0.00215	0.423
C	161	AEU-INT J ELECTRON C	1434-8411	253	0.357	0.011	94	6.1	0.00111	0.137
C	162	SOLID STATE TECHNOL	0038-111X	412	0.335	0.08	87	>10.0	0.00091	0.086
C	163	INTEGR FERROELECTR	1058-4587	826	0.334	0.055	145	5.7	0.00423	0.163
C	164	IEEE AERO EL SYS MAG	0885-8985	232	0.331	0.029	69	4.9	0.00139	0.172
C	165	J COMMUN TECHNOL EL+	1064-2269	957	0.328	0.056	180	8.7	0.0015	0.069
C	166	IEE P-COMMUN	1350-2425	361	0.316		0	6.2	0.00234	0.197
C	167	INT J APPL ELECTROM	1383-5416	242	0.305	0.014	144	7.5	0.00099	0.139
C	168	INT J ELEC POWER	0142-0615	366	0.304	0.022	92	6	0.00217	0.214
C	169	INT J INFRARED MILLI	0195-9271	559	0.3	0.083	121	7.7	0.00198	0.115
C	170	CIRCUIT WORLD	0305-6120	75	0.292	0.036	28		0.00022	0.075
C	171	INT J RF MICROW C E	1096-4290	176	0.291	0.077	65	4.8	0.00171	0.264
C	172	MICROLITHOGR WORLD	1074-407X	35	0.29	0.125	16		0.00009	
C	173	IEICE T FUND ELECTR	0916-8508	1116	0.287	0.041	364	5.5	0.00521	0.108
C	174	ANALOG INTEGR CIRC S	0925-1030	369	0.279	0.098	82	7.9	0.0016	0.131
C	175	INTEGRATION	0167-9260	150	0.268	0.128	47	>10.0	0.00074	0.287
C	176	INT J COMMUN SYST	1074-5351	109	0.257	0.014	71	4	0.00158	0.247
C	177	IEICE T COMMUN	0916-8516	1076	0.252	0.044	503	4.8	0.00602	0.112
C	178	J SUPERCOMPUT	0920-8542	219	0.246	0.074	68	5.4	0.00097	0.147
C	179	INT J SOFTW ENG KNOW	0218-1940	158	0.239	0.026	38	6.2	0.00067	0.144
C	180	J ELECTRON TEST	0923-8174	171	0.238	0.022	45	5.8	0.00116	0.215
C	181	COMPEL	0332-1649	176	0.226	0.029	103	4.5	0.00089	0.091
C	182	EPE J	0939-8368	57	0.2	0.059	17		0.00013	
C	183	ELECTR POW COMPO SYS	1532-5008	93	0.194	0	78		0.00075	0.076
C	184	J HIGH SPEED NETW	0926-6801	233	0.191	0.053	19	8.5	0.00014	0.07
C	184	MICROWAVE J	0192-6225	341	0.191	0.057	105	>10.0	0.00148	0.111
C	186	FREQUENZ	0016-1136	77	0.172	0	58		0.00024	0.044
C	186	MICRO	1081-0595	63	0.172		0		0.00035	0.085
C	188	EDN	0012-7515	136	0.165	0.18	122	3	0.00093	0.053
C	188	ELECTR ENG	0948-7921	78	0.165	0	73		0.00037	0.072
C	190	IEE REV	0013-5127	54	0.162		0		0.00023	0.036
C	191	FUJITSU SCI TECH J	0016-2523	82	0.161	0.133	60		0.00038	0.08
C	192	CAN J ELECT COMPUT E	0840-8688	67	0.151	0.286	14		0.00034	0.107
C	193	APPL COMPUT ELECTROM	1054-4887	87	0.13	0.02	50		0.00063	
C	193	COMPUT ELECTR ENG	0045-7906	114	0.13	0	35	6.3	0.00068	0.14
C	193	J CIRCUIT SYST COMP	0218-1266	163	0.13	0.022	46	9.3	0.00074	0.108

C	196	EUR T ELECTR POWER	1430-144X	114	0.129	0	41	9.5	0.0005	0.105
C	197	INT J ELEC ENG EDUC	0020-7209	51	0.125	0	38		0.00019	0.055
C	198	CHINESE J ELECTRON	1022-4653	135	0.12	0	159	4	0.00049	0.026
C	199	POWER ENGINEER	1479-8344	24	0.119	0	47		0.00023	0.042
C	200	INFORM MIDEM	0352-9045	23	0.117	0	19		0.00015	0.036
C	201	NEC TECH J	1880-5884	17	0.112	0.016	62		0.00019	0.076
C	202	SMPTE MOTION IMAG J	0036-1682	9	0.088	0	20		0.00007	0.024
C	203	ELECTRON COMM JPN 2	8756-663X	88	0.079	0	100		0.00049	0.047
C	204	ELECTR ENG JPN	0424-7760	117	0.067	0.014	142	5.8	0.00069	0.043
C	205	IETE J RES	0377-2063	26	0.059				0.00017	0.029
C	206	IEEE J T ELECTR ELECTR	1931-4973	6	0.055	0.032	94		0	0
C	207	MICROWAVES RF	0745-2993	97	0.054	0.055	110		0.00032	0.038
C	208	ENG INTELL SYST ELEC	1472-8915	37	0.034	0	5		0.00016	0.048
C	209	J COMMUN NETW-UK	1477-4739	3	0.027	0	18		0.00001	0.001
C	210	IETE TECH REV	0256-4602	21	0.025	0	7		0.00006	0.011
C	211	EE-EVAL ENG	0149-0370	15	0.023	0	87		0.00181	0.182
C	212	ELECTRON COMM JPN 3	1042-0967	65	0.02	0	78		0.00031	0.031
C	212	ELECTRON WORLD	1365-4675	12	0.02	0	77		0.00005	0.005
C	214	ELECTRON COMM JPN 1	8756-6621	45	0.019	0	85		0.00044	0.039
C	215	CONTROL ENG	0010-8049	62	0.018	0.009	117		0.0002	0.02
C	216	CONNECTOR SPECIFIER	1078-1528	7	0.011	0	30		0.00004	0.008
C	217	ALCATEL TELECOMMUN R	1267-7167	15	0.009	0	13		0.00016	0.024
C	218	IET COMMUN	1751-8628	3		0.017	174		0	
C	218	IET COMPUT VIS	1751-9632	1		0.083	12		0	
C	218	IET CONTROL THEORY A	1751-8644	14		0.06	199		0.00001	
C	218	IET ELECTR POWER APP	1751-8660	2		0.019	103		0	
C	218	IET IMAGE PROCESS	1751-9659	1		0.027	37		0	
C	218	IET MICROW ANTENNA P	1751-8725	4		0.022	185		0	
C	218	IET OPTOELECTRON	1751-8768	2		0.039	51		0	
C	218	IET SCI MEAS TECHNOL	1751-8822	1		0.019	52		0	
C	218	J MICRO-NANOLITH MEM	1537-1646	2		0.033	60		0	
C	218	SEMICONDUCT SEMIMET	0080-8784	538		0	5	>10.0	0.00023	0.217